

Compiled by Frédéric Goes

Thanks to all contributors. Observers are invited to send records they think may be of interest to [fredbaksey@yahoo.com](mailto:fredbaksey@yahoo.com). Species names follow *The Birds of Cambodia, An Annotated Checklist* (Goes 2013).

National Park, Wildlife Sanctuary, Protected Forest, Bengal Florican Conservation Area and Sarus Crane Conservation Area are abbreviated as NP, WS, PF, BFCa and SCCA respectively. Siem Reap-based *Sam Veasna Center for Wildlife Conservation* is abbreviated SVC.

## PHNOM PENH

On 14 January, a male **Savanna Nightjar** uttered its screechy call from the roof of Royal University of Phnom Penh, echoed by another bird nearby, before both took off for their night hunt (FG). These birds might belong either to the well-known central Phnom Penh family (now relocated<sup>?</sup>), or a second urban group of this nightjar species, usually encountered in open forest.

A **Northern Boobook**, probably stunned after a window collision, was found in a Phnom Penh garden and later released on 11 March (SM). Although finding it right in the middle of the capital is quite a surprise, this wintering owl was a long predicted addition to the Cambodian list, and even listed for the country in Robson (2008) although no supporting record could be traced. The fact that it is silent on wintering grounds probably means it is greatly overlooked. For field separation from Brown Boobook, see the breakthrough article of Phil Round at [www.bcst.or.th/?p=109](http://www.bcst.or.th/?p=109).

The couple of **Peregrine Falcons** were back in Phnom Penh this winter, often perching on the Hotel Cambodiana, and still around on 29 March (TK).

## SOUTH-EAST

Noteworthy records from Boeng Prek Lapouv were 12 **Long-toed Stints** on 12 January, two **Greater Painted-snipes**, a single **Japanese Sparrowhawk**, two **Comb Ducks**, three **Asian Pied Starlings** and daily flocks of 5-15 **Chestnut Munias** on 24-28 February, and last but not least scattered nesting colonies of **Asian Golden Weavers** on latter dates (RvZ, SKH).



A Small Pratincole seemingly tempted to nest on an artificial sandhill in the Four-Arms Plain, 17 February 2013 (Photo: Suy Senglim)

The *Phnom Penh Bird Club* softly opened by a morning visit to the **Prek Ksach area** on 17 February. Digest-worthy were 15+ **Small Pratincoles** probably gearing for nesting on a sandhill and threatened by an air-attack of a **Peregrine Falcon**, a **Kentish Plover** and numerous **Blue-tailed Bee-eaters** prospecting and digging nesting holes anywhere there was a decent artificial sandfill (all SSL, FG, NE, TK, CP). Of great interest at this site was a flock of over ten **Asian Golden Weavers** building nests in a *Barringtonia acutangula* tree on 22 February (SMa), and a single seen there on 6 March (CR/*Birdquest*). The then not-yet-official but now famous **Cambodian Tailorbird**

was seen in the area (one of its strongholds) by all birders and birding groups during the review period.

A birding trip to the neglected **Svay Rieng province** as well as a few sites in adjacent Prey Veng province took place during 17-20 February. Pagoda groves, forested temple ruins, degraded scrub/grasslands and even unsuspected remnant of dry deciduous forest yielded just over 100 species. Highlights were an **Oriental Darter** at Svay Rieng provincial town lake, **Chestnut-tailed Starling** boldly nesting in a street lamp in

central Svay Rieng town, a much-appreciated **Large Hawk Cuckoo** at the Prey Bassac temple, where a **Black Baza**, a tentative **Grey-faced Buzzard**, and a calling **Greater Flameback** were also hosted. Recent colonists **House Sparrow** and **Zebra Dove** have, quite expectedly, largely invaded both provinces, but the widespread presence of **Golden-bellied Gerygone** was more surprising and clearly linked with ubiquitous water-edged *Eucalyptus* plantations. **Spot-breasted Woodpecker** was seen at two sites, and a lone **Common Hill Myna** in a provincial town pagoda was an oddity. **Indochinese Bushlark** was also found at various places. Best relic forest, at the northern tip of Svay Rieng province, sheltered **Red-breasted Parakeets**, a species just 'promoted' to globally near-threatened status!), **Spotted** and **Asian Barred Owlet**. An excellent find of the trip was the newly described **Cambodian Tailorbird**, sighted in degraded bushlands just a few kilometers from the Vietnamese border, significantly extending the known range of this Mekong floodplain endemic (all FG, TK, LA).

The second *Phnom Penh Bird Club* outing harvested a good 59 species at the secondary forest adjacent to **Phnom Tamao Wildlife Rescue Center** on 16 March. A **Lesser Adjutant** leisurely perched at the forest edge (perhaps a zoo offspring) was the star of the show, while **Chestnut-capped Babblers** were thriving in the bamboo-thickets, with at least two pairs building nest a few hundred meters from each others. Other treats were **Common Hoopoes**, **Indochinese Bushlark**, **Spot-breasted Woodpecker** and a few true forest dwellers such as **Puff-throated Babbler**, **Stripe-throated Bulbul** and even several females and one male **Red Junglefowl** (SSI, FG, RO, LA, B&BM, TH *et al.*).



A Chestnut-capped Babbler with nest-improvement material at Phnom Tamao, 16 March 2013 (Photo: Suy Senglim)

## SOUTH-WEST

**Anlong Pring SCCA** hosted a record number of **Sarus Cranes** this dry season, with 268 birds on 26 January and a peak of 342 birds on 24 February (RvZ). On 20-22 February, of note were a single **Black-tailed Godwit** and a single **Jack Snipe** flushed from a stream edge, the first confirmed record for country. A single **Asian Openbill**, a species rarely venturing further into the southwest, was also encountered (all RvZ, SKH).

Noteworthy species stemming from several birding visits to **Bokor NP** included an **Eurasian Woodcock** on the plateau, and **Sulphur-breasted** and **Eastern Crowned Warblers** on 26-27 January (SMo). A **Spot-bellied Eagle Owl** along the access road at 200-300m on 1 February (SM, AJ) was the first definite record from the region since historical times. On 3 February, a male **Wreathed Hornbill** attending a sealed female in a large tree adjacent to the access road at mid-slope is the first documented nesting site for this species, and a **Moustached Barbet** and a **Blue-eared Barbet** were also active around a nesthole (TK, RO). The latter was at same nest hole on 28 March (RO). On the plateau, one pale morph and one dark morph **Booted Eagles** were well observed, including one at close range on 4 February (TK). All groups found **Chestnut-headed Partridge** with an amazing total of 13 birds encountered on 23-24 February (SMa). Other good finds on the Bokor plateau during the same trip were one **Sulphur-breasted Warbler**, **Silver-breasted Broadbill** and one juvenile **Brown Wood Owl** (SMa), a species apparently not recorded there since 2007. On 1-3 March, sightings of a single **Wedge-tailed Green Pigeon**, a **Jerdon's Baza** and **Himalayan Swiftlets** on the plateau were of interest, as well as two new species for the park: **Indochinese Cuckooshrike**, presumably along the slope, and **White-throated Fantail** on the plateau (SSo, FL/*Bird Tour Asia*). Although abundant and conspicuous in higher mountain range of the Cardamoms, the fantail was never recorded during numerous surveys and visits at Bokor, suggesting it requires higher mountain ranges. Best species harvested during 6-8 March were 25+ **Himalayan Swiftlets** (a tricky species with more records during this period than since it was first confirmed in 2007!), two or three calling **Green Peafowls** and a single **Spotted-bellied Eagle Owl** before dawn, in the same area as the bird seen on 1 February (all DN, CR/*Birdquest*).

In the **Kampot-Kep** area, several **Brown-headed Gulls** were at the Kampot saltpans on 25 February (SMa). The species usually shuns coastal wetlands, and there were only three previous southwest records. A **Gull-billed Tern** there on 9 March (SM) was only the tenth recent record. At Kampot estuary, a single



Ashy Tailorbird in mangrove near Kep, a Sundaic species with a relic range in Cambodia, 4 March 2013 (Photo: Rob Overtoom)

**Nordmann's Greenshank** and two **Dunlins** were present on 3 March (SSo, FL/*Bird Tour Asia*). The former was known from only two Koh Kong records and the latter is a first country record. Another rarity there was a single **Asian Dowitcher** noted on 8 March (DN, CR/*Birdquest*). On 4 March, at least one **Ashy Tailorbird** was lured out of a mangrove near Kep, where it was first discovered in Cambodia, and a **Ruddy Kingfisher** was heard calling (FG, RO, JS).

On **Sihanoukville** islands, five **Glossy Starlings** at Lazy beach, Koh Rong Senlem on 6 January were the second country record (KS, FJ). A four-day boat trip to remote offshore Koh Tang archipelago on 16-20 February did not reward the team with the sought-after Nicobar Pigeon, and

only **Pied Imperial Pigeons** (no locality or numbers provided) were digest-worthy (PE, HS).

In Sre Ambel plain, 11 **Sarus Cranes** were spotted on 10 January (GD). A **Brown Fish Owl** photographed at Chambok ecotourism site on 24 February (SSI) is the first record for the southwest since the 1960's.

Two short expeditions to the higher elevations of **Phnom Aural WS** on 16-17 March (SM, FL, MK) and 19-21 March (RM, SVC guides), both recorded **Cambodian Laughingthrushes** and **Green Cochoa**. The first group also saw and tape-recorded singing the resident *assamensis* form of **Blyth's Leaf Warbler** (perhaps the first record allowing confident separation from Claudia's) and heard **Coral-billed Ground Cuckoo** (SM, FL, MK). The second trip's highlight was a single **Northern Brown Hornbill** on 20 March, a species with only two previous records from Kirirom NP. **Brown Wood Owl** and **Large Scimitar Babbler** on the same date were also additions for the sanctuary, while **Lesser Necklaced Laughingthrushes** at 1,100m were the highest on record.

Birding in a boat along the Chipat river produced a **Black-and-red Broadbill** and apparently an **Ashy-headed Green Pigeon** on 16 March (CC).

## NORTH-WEST

A morning birding walk in the fast-disappearing forest of Phnom Khieu, Pailin municipality on 26 February provided one of the few bird data for **Samlaut WS**. Species of distributional interest found at 400-500m elevation included **Ochraceous Bulbul** (a species considered restricted to the southwest thus far), a probable **Buff-breasted Babbler** and a **Large Niltava** which would be unusually low (LA).

The trees planted in the SVC garden in 2003 are now forming a micro-forest pocket in the middle of **Siem Reap** town, attracting visitors such as **Asian Barred Owlet** in January (date unknown) (SSo) and even a pair of **Oriental Pied Hornbill** on 14 January! The SVC garden list was further lengthened by a **Thick-billed Warbler** on 2 February, **Silver-backed Needletail** on 15 March and flying-over **Asian Openbill** and **Painted Stork** on 16 March (all RM). Three **Purple-backed Starlings** were observed at Wat Atwear temple on 12 February (RM, SJ) and two birds were still seen there on 14 February (SSo).

In **Angkor** temple complex, Ta Prohm hosted a **Violet Cuckoo** – the second record for the park – and some **Blossom-headed Parakeets** on 13 January (SMo). A **Japanese Sparrowhawk** was spotted in the park on 18 January (DB/*VENT*), and 12 **Oriental Darters** had gathered at Preah Khan reservoir on 20 February (PG/*Field Guides*). A **Jerdon's Baza** at Angkor Wat and an **Eyebrowed Thrush** at Ta Prohm, both on 29 January (SSo) were additions for the park, the latter being also a first record for the northwest. Other species of interest for Angkor were **Indochinese Cuckooshrike**, **Greater** and **Common Flameback** on 19-20 February (PG/*Field Guides*), a welcome sight for the latter species as no Angkor record was traced after 1998! At least 27 **Black-naped Orioles**, half of which juveniles, gathered on a fruiting tree at Boeng Mealeas temple on 20 January (DB/*VENT*).

At **Kbal Spean**, **Black-headed Woodpecker** was added to the site birdlist on 19 January (SSi) and a **Plain-tailed Warbler** was noted there on 14 January (SMo, RM), 30 January and 13 February (SSo). Other additions to the site list were **Black-winged Cuckooshrike** and **Swinhoe's Minivet** on 30 January (SSo) and a **Blyth's-type Leaf Warbler** on 15 February (RM). Also of note there were a **Sulphur-breasted Warbler** on 30 January and a **Jerdon's Baza** on 13 February (SSo). Last but not least, a male **Orange-headed Thrush** and a single **Black-backed Kingfisher** on 5 March (VI) were respectively the second and first record for the northwest. The kingfisher is also the earliest date for this passage migrant/breeding visitor.

The **Ang Tropeang Thmor** Reserve collected a series of great records, with two **Glossy Ibis** (first for the site), a pair of **Ferruginous Pochard** (second national record) and a single probable **Jack Snipe** on 14 January. On the next day, another rarity was a **Blunt-winged Warbler** (all SM). The site held a family of **Little Grebes** with five half-grown young and a national high of 30,000 **Barn Swallows** on 19 January (DB/VENT). A single *schach*-type **Long-tailed Shrike** was apparently at the reservoir on that date (DN), although, quite oddly the single seen on 28 February was of the *longicaudatus* subspecies (CR/*Birdquest*). This rare species has an unclear status in Cambodia. The *Asian Waterfowl Census* conducted on 27-28 January uncovered 76 **Common Coots**, by far the largest Indochinese flock, as well as 461 **Pheasant-tailed Jacanas** (highest national count), a single **Eurasian Wigeon** (third recent record) in a flock of 119 **Northern Pintails**, 17 **White-browed Crakes** and a single **Western-looking Marsh Harrier** (RM, FG). A **Brown Boobook** heard on same dates was also an addition for the site (RM). A **Short-toed Snake Eagle** was observed on 9 February (SM) and one **White-browed Crake** was building its nest on 28 February (CR/*Birdquest*). Two **Oriental Plovers** staged over on 4 and 10 March (SMo) and up to eight birds on 14 March (VI).

## TONLE SAP

At **Prek Toal**, 297 **Lesser** and a remarkable 200 **Greater Adjutants** were counted at the colonies during the *Asian Waterfowl Census* on 18 January (SV). Unusual there was an **Oriental Honey Buzzard** cruising over the swamp forest on 23 January (DB/VENT). Of note on 31 January were some (number unreported) **Comb Ducks** and **Grey-throated Sand Martins**, an addition to the site birdlist, and a tantalizing possible **Manchurian Bush Warbler**, a species not on the national list (SSo, CH, MH).

**Phnom Kraom** floodplain habitat mosaic continued to trickle out goodies during this period, such as a **Siberian Rubythroat** on many dates, visiting **Grey-headed Fish Eagle** and a maximum of 60 **White-shouldered**

**Starlings** on 3 January, single **Chestnut-winged Cuckoo** seen on 15 and 20 January (RM), an **Eurasian Coot** on 25 January (RM, SM) as well as 13 and 15 **Comb Ducks** on 15 and 25 January respectively (RM) and five birds on 1 February (FG, MM). Later, receding water attracted 1-3 **Temminck's Stints**, 5-9 **Marsh Sandpipers**, up to nine **Long-toed Stints** and up to ten **Kentish Plovers** and nine **Grey-headed Lapwings** during 1-5 February (RM, SJ) and 15 **Ruffs**, a rare migrant, on 27 February (CR/*Birdquest*). A **Greater Painted-snipe** was sitting on a nest on 4-5 February, but ploughing had destroyed the nest on 10 February (RM).

The regular **Greater Spotted Eagle** was wintering in the **Stoung-Chikreng BFC**, with records on several dates in January-February (SMo, DN), while more unusual were sightings of a single **Grey-throated Sand Martin** on 24 January (DB/VENT), a male **Western Marsh Harrier** on 23 February (SSi, PG/*Field Guides*) and a **Short-toed Snake Eagle** on 22 March (SSI). In Prolay grasslands on 4 March, no less than 15 **Blue-breasted Quails** were flushed, a concentration of 100+ **Indian Spot-billed Ducks** was surprising and a single **Himalayan Swiftlet** was cruising about (CR/*Birdquest*). On 9 March, **Small Buttonquail** took the front stage, with 15 birds encountered, while two **Comb Ducks** were also of note (SSo, FL/*Bird Tour Asia*). **Manchurian Reed Warblers** were harder to find but three were still seen at Prolay on 29 March (SMo).



The Cambodian Tailorbird was found in the southern Tonle Sap floodplain during the review period, extending the known range of this narrow-endemic (Photo: Suy Senglim)

On 27 January, 11 and 29 **Comb Ducks** were counted at **Krous Kraom** and Baray BFCA respectively (AWC). The Tonle Sap highlight of the period was however two adult **Rosy Starlings** in a flock of 100+ **White-shouldered Starling** at Krous Kraom on 27 February. The species was only known from two sightings at Ang Tropeang Thmor last year. The same group also noted one **Himalayan Swiftlet** there (all SSi, PG/*Field Guides*). A flock of 100+ **Black-tailed Godwits** noted on 4 March is worth reporting, as the species had apparently not been previously recorded in the eastern Tonle Sap floodplain (CR/*Birdquest*).

At **Baray BFCA** on 26-27 February, there were two **Black-necked Storks**, six **Blue-breasted Quails** (no previous records there) while three pairs of **Cambodian Tailorbirds** were the first evidence that the species' range extended at least marginally in the Tonle Sap floodplain (SM).

## NORTH

Within **Kulen Promtep WS**, **White-winged Ducks** were heard at Prey-ving reservoir on 6 January (SSo), then three birds showed on 17 January (SMo) and a pair on 5 February (SSi). A **Booted Eagle** (pale morph) was also noted there on 7 February (SSi), as well as **Brown** and **Spotted Wood Owls** on 2-3 February (SSo), and, if confirmed, the first record from the north of **Dark-sided** and **Hill Blue Flycatchers** on 3 February (MS, CH). Highlight of the period were several records of **Masked Finfoots** along the Stung Memay: two birds on 27 January (AWC) and one adult male photographed on 20 February (RM, RV). At least three **Barbellied Pittas** were spotted along trails in the southwestern part of the sanctuary on 20–21 February (RM), indicating the species is more widespread than previously thought.

At **Thmat Baeuy**, **Black-necked Stork**, **Rufous-bellied Woodpecker** and **Pale-capped Pigeon** were very cooperative, showing themselves to virtually all visiting birders during the review period. The latter (a little known, semi-nomadic pigeon) was usually found in riparian habitat with up to four birds on several dates in January and February (SSi, SMo, PG/*Field Guides*) and a national high of 13 birds on 5 March (SMo). On 20-22 January, there were nesting **White-rumped Pygmy Falcon**, **Orange-breasted Trogon** and **Common Woodshrike**, a pair of **Ashy-headed Green Pigeons** and a single **Small Buttonquail** at the edge of farmland, perhaps the first confirmed record of the latter from the northern region (DN, DB/*VENT*). Reports of a **Short-toed Snake Eagle** and a single **Eastern Grass Owl** on 5-6 February (CH, MS) await observers' notes for confirmation. The Grass Owl would be a second country record and the first outside the Tonle Sap region. A **Rufous-winged Buzzard** was photographed on its nest and **Purple Sunbird** parents were feeding young at nest on 1-3 March, while a *siamensis* **Asian Brown Flycatcher** photographed there constitutes the first record of this resident subspecies (all CR/*Birdquest*). On 30 March, was two adult **Brown Wood Owls** were flanked with a juvenile (SMo).



**Pale-capped Pigeon at Thmat Baeuy, one of the very few sites where it is regularly found, on 3-5 March 2013** (Photo: Sang Mony/SVC)

In **Preah Vihear PF**, a single **White-winged Duck** was at its expected O'Koki pool on 18 February (SM, AJ). The Veal Krous vulture restaurant attracted no less than 101 guests on 21 January, including 84 **White-rumped Vultures**, the highest number ever recorded in the northern plains (SMo). A single **Indian Spotted Eagle** was also around on 21 January (SMo), 6-7 February (SSo) and 10-11 February (SSi). **Blue-breasted Quail** and **Yellow-legged Buttonquail** on 6-7 February were respectively a first and second records for Preah Vihear PF, and **Himalayan Swiftlets** were also seen there (SSo). On 26 February, a single **Northern House Martin** at the Veal Krous pond (PG/*Field Guides*)

was an expected addition to the national list. On 10 January, a **Japanese Sparrowhawk** hunting near a fire near Veal Krous was an addition for the northern plains (SSo).

## NORTH-EAST

A strenuous foot-expedition to **Yak Yeuk grasslands** in Virachey NP was ornithologically deceiving. Interesting distributional data from the adjacent forest at 800m on 24-25 January were nevertheless the first record for the northeast of **Moustached Barbet**, **Sulphur-breasted Warbler** and **Yellow-vented Green Pigeons** (eight birds), a species only known previously from a single site on Bokor slope. Only a couple of **Great Hornbills** were around, while **Ashy Bulbul**, **Black-throated Sunbird**, **Blue-throated Flycatcher**, **Lesser Racket-tailed Drongo** and **Slaty-backed Forktail** were of relative interest, as well as an unusually high record of **Purple-naped Sunbird** (all HN).

Additions made to **Seima PF** birdlist were **Pied Harrier** and **Himalayan Swiftlet** on 23-24 January (SMo) and **Black-and-red Broadbill** on 28 January. A female and juvenile **Bar-bellied Pitta** granted great views, one or two **Eastern Crowned Warblers** were within a bird wave and a **Dollarbird** was attending a nest in a tree hole on 28-29 January (all DN, DB/VENT). **Blue Pitta** was seen at Andong Kraloeng on 10 February (SSo), a first visual confirmation of the species' presence in the northeast. The always unpredictable **Orange-necked Partridge** was heard on 9 February (SSo) and seen on 8 March along the eponymous trail as well as **Blue-rumped Pitta** on the latter date (RM).

**Dak Dam** specialities were obliging, with the second and third record of **Chestnut-fronted Shrike-babbler**, on 14 January (SSo) and 25 January (SMo), and five **Silver-eared Mesias** (fifth record), a male **Maroon Oriole** (sixth record) and a single **Pin-tailed Parrotfinch** on 25 January (SMo). Other species with a handful records were also found on 27-28 January, namely **Black-chinned Yuhina**, **Spot-throated Babbler** (heard only) and a pair of **Black-crowned Parrotbill** (DN, DB/VENT). **Dak Dam** further yielded high altitude record (900m) for **Red Junglefowl**, **Little Green Bee-eater** and **Common Hoopoe** on 23-24 January (SMo), as were two **Little Cormorants**, **Black Drongos**, **Chestnut-tailed Starling** and two **Pied Harriers** over degraded grassy scrublands on 27-28 January. On the latter date, no less than 45 **White-checked Laughingthrushes** was a memorable encounter (all DN, DB/VENT). On 10 February, a **Black-shouldered Kite** there was also the highest documented and a single **Pale-capped Pigeon** was spotted (SSo). There were three **Pale-capped Pigeons** and at least one **Mountain-type Fulvetta** (a species yet to be confirmed from Cambodia) at the site on 6 March (RM).



An adult male Maroon Oriole at Dak Dam, the only site where this species is known in Cambodia (Photo: Sang Mony/SVC)

At **Kratie marsh**, a few **Asian Golden Weavers** were usually obliging enough to be admired by birding groups, but the welcome news was the presence of **Red Avadavat**, with 2-3 birds seen on 25 January (DN, DB/VENT), 28 February (PG/*Field Guides*) and 4 March (FL/*Bird Tour Asia*). This nationally threatened species had not been recorded in the northeast since historical times. Unexpected was an **Oriental Scops Owl** roosting in a hedgerow on 28 February (PG/*Field Guides*). Finally, worth mentioning are a number of **Streaked Weavers** in a mixed weaver flock flying to roost on 7 February and several **Chestnut Munias** on 4 March (SSo).

One **Great Bittern** flushed from the marsh at Phnom Sambok, north of Kratie on 8 February (SSo) is a first for the northeast and only the third recent record, but the species is probably greatly overlooked.

Of note along the **central Kratie – Stung Treng Mekong** were a single **Red-necked Phalarope**, a rare passage migrant, at Koh Preah on 19 February, single **Chestnut-winged Cuckoo** at Koh Santoich and Koh Enchey on 19 and 21 February respectively, and a **Greater Painted-snipe** in mid-March at Koh Preah (AC).

During a 24-28 March survey along the **Ramsar Mekong**, the most significant find was a **White-winged Duck** flying over the Mekong channel near the Lao border on 28 March. Up to 150 **Oriental Darters** were present in the area and two **Indian Thick-knees** were flushed from possible nesting site at Koh Kalai on 24 March (all JS).

---

**OBSERVERS**

\* = SVC guides

AJ	Ashish John	MM	Michel Mifsud
AWC	<i>Asian Waterfowl Census</i>	MS	Martin Schaefer
B&BM	Bill & Benedicte Monroe	NE	Nigel Eustace
CC	Colin Conroy	PE	Paul Everingham
CH	Chris Heard	PG	Phil Gregory
CP	Chea Puthy	RM	Rob Martin
CR	Craig Robson	RO	Rob Overtoom
CS	Chhin Sophea	RV	Rours Vann
DB	David Bishop	RvZ	Robert van Zalinge
DN *	Duong Nara	SKH	Seng Kim Hout
FG	Fred Goes	SJ	Steve Jones
FJ	Frank Johansson	SM	Simon Mahood
FL	Frank Lambert	SMa *	Sean Mardy
GD	Gregory Duplant	SMo *	Sang Mony
HN	Howie Nielsen	SSi *	San Sikol (Srun)
HS	Hanno Stamm	SSI	Suy Senglim
JS	Jeff Schwilk	SSo *	Sanh Sophoan
KP	Kor Prokorthy (Noung)	SV	Sun Visal
KS	Katarina Stentman	TH	Taber Hand
LA	Lisa Arensen	TK	Thomas Kuenzel
MK	Martin Kennewell	VT *	Vanh Tharath



The first documented Northern Boobook from Cambodia, posing in Simon's garden where released, 11 March 2013 (Photo: Simon Mahood)